Privacy and Security in Online Social Networks Department of Computer Science and Engineering Indian Institute of Technology, Madras

> Lecture – 07 Tutorial 2 Part 1 Facebook API

Hi everyone, welcome to the second tutorial for the **PSOSM** course.

(Refer Slide Time: 00:12)



In the previous tutorial, we learnt how to install ubuntu and got started with python. We also saw some basics about package management in ubuntu and python. Now in this tutorial, we will learn how to collect data from Facebook using the graph API. You must have browsed Facebook as one of the millions of common Facebook users hundreds of times, but now we will introduce Facebook to you from a developer's perspective which is entirely different from what you must have seen until now.

(Refer Slide Time: 00:45)



To start open your browser and open developers dot facebook dot com. We will see a glimpse of what Facebook has in store for the developer's side of you.

(Refer Slide Time: 00:55)



Now, click on tools and support and go the graph API explorer.

(Refer Slide Time: 01:06)



(Refer Slide Time: 01:12)

Log in to Faceb	ook Faceb X	+														
) 🔒 https://www.facebo	sok.com (login.ph	p?next+https	N3AN2FN2Fdeve	elopers.facebook	G 9	C [®] Search	_		4 ñ	合自	0	0 - 4	0-	+	0 +	1
fac	ceboo	ok 🛥	Up													
		0	You must log	g in to continue	43											
					Log in to F	acebook										
				[mail add												
				Password	ų.											
				۲	Log	In										
				Forgo	tten account? - 5	lign up for Face	book									
English (UK) दिन्दी बरावी	yj ûnd e	int good adj	eleans shoe	epi 🕂											
Sign Up	Log In	Messenger	Facebook Lite	Mobile	Find Friends	Badges	People	Pages	Places	Games						

Of course, you need to login first. We assume all of you have an account on Facebook, if you do not please pause this tutorial here, create an account and then continue.

(Refer Slide Time: 00:12)



So, this is how the Facebook graph API explorer looks like. If you notice this bar here, you will see a long random looking string of letters and numbers; this is called the access token. Now an access token is like a key which opens the door of the Facebook API for you. In more technical terms, the access token is an authentication string generated using the open authentication or OAuth protocol which Facebook uses to verify the authenticity of the user and determine the user's identity. If you do not see an access token in this space click on the get access token button on the right and click on the get user access token option.

(Refer Slide Time: 02:05)



And you will see a big list of check boxes. Now each of these check boxes corresponds to a permission that you may choose to grant to Facebook. So, for now just click on any one of them say email and click on the get access token button. Do not worry about these permissions etcetera for now; we will get back to the details regarding all these permissions later in the tutorial.



A dialogue box will appear informing you that this action will allow Facebook to get to know your email address. Click on ok and you will have the access token appear in the access token bar.

(Refer Slide Time: 02:48)

~	
Access Token	Info >
Арр	145634995501895 : Graph API Explorer
User	100001955345494 : Tom Jerry
Valid	True
Expiration Time	1468324800 (Tue Jul 12 2016 17:30:00 GMT+0530 (IST))
Scopes	public_profile
	Open in Access Token Tool

Now if you click on this little blue circle here, you can see more information about this access token. You can see the app that was used to generate this token it says the graph API explorer app here. Now this is the default app that is there when you first get into Facebook as a developer. Now this concept of apps is crucial from the developers' perspective. You can think of an app as a door that you need in order to enter the graph API. Now the key to this door is the access token like we just said before. So, essentially any access token or key corresponds to an app or a door which leads into the graph API. You cannot enter the graph API without a key that is the access token. And you cannot generate a key or an access token without a door that is the app. We will see how to create our own apps later in this tutorial.

Now, getting back to the token, we can also see the name of the user who generated this token, which is Tom in this case. You see that the token is valid right now and the expiration time is about 17:30 hours which is less than 2 hours from now. So, after 2 hours, this access token becomes totally useless. Now all of this information is somehow embedded in this long random looking string. Now let us put this access token to use and extract some data from the API.

(Refer Slide Time: 04:04)

Access T	oken: () EAACEdEose0	BAAIFQUqfAH8pjgji	ZBzY1Vegin9ihpaNxc3FF
Graph	PI FQL Query		
	$\underline{\text{GET}} \star \rightarrow /\underline{\text{v2.6}} \star / \text{mage}?fiel$	ds=id,name	

We see here that the query field has this me question mark fields is equal to id comma name here. So, just press, submit.

(Refer Slide Time: 04:12)

QL Query	
$\rightarrow /\underline{v2.6} \checkmark /me?fields=id,r$	ame
9 ch for a field	{ "id": "100001955345494", "name": "Tom Jerry" }

And you see that the API responds with the two fields that you asked for. The me part that we had in the query tells the API that it needs to return the id and name fields for me which is the current authenticating user. Now there are loads of other things that you can extract from the API.

(Refer Slide Time: 04:29)

 ☑ id ☑ name 	"id": "100001955345494", "name": "Tom Jerry" }
about	
admin_notes age_range bio birthday context cover currency devices education	

Just click on this search area and you will see a list to start with. So, let us select education, birthday, and say email and click submit again.

(Refer Slide Time: 04:39)

	Learn more about the Graph API synta
3 Debug Messages (Show)	
{ "id": "100001955345494", "name": "Tom Jerry" }	

So, it throws a bunch of debug errors.

(Refer Slide Time: 04:44)



So, if you remember the permissions \mathbf{a} while ago, we did not give permission to this app for getting access to birthday and its education fields.

(Refer Slide Time: 04:52)

() () () https://de	velopers facebook.com/tools/explore	(1456.34995501896,//method-DE1 C A Q, Search 4 A 🛆 🛈 🛡 (-d <mark>0</mark> - ∳ 0 ≠ -
	Graph API Explorer	Application: 171 Gra	ph API Explorer *
	Access Token: EAACEdEose000 Graph AM FOL Query GIT//2.5 -/ma?field	AAFOURAHBpg/282111WeprBroathuclFRusp0A5119imHenP28OV602888K3m2000VqKvCn18LVBpuP2Cr6mpdF	Cet Testen * Cet User Access Token
		Laam non stoo	X Uninstall the app
	C Id C hane S shouten C strongy C small < Search for a field	The field 'education' is only accessible on the User object after the user grants the User, education, history permission. The field 'birthay' is only accessible on the User object after the user grants the 'user, b permission. The field 'hermal' is only accessible on the User object after the user grants the 'user, b in the field 'hermal' is only accessible on the User object after the user grants the 'user, b "mater', "Title Justry"	irthday' miasion

So, to get these fields from the API, go back to the get access token, click on the get user access token button again.

(Refer Slide Time: 04:55)

Graph API Explorer			Applicators	Graph
	Select Permissions		v2.6 * ×	mpsf 1
Graph API FOL Query	User Data Permissions email ublish_actions user_about_me	user_hometown user_likes user_location	user_religion_politics user_status user_tagged_places	the about the
Node: me	 user_birthday user_education_history user_friends user_games_activity 	user_photos user_posts user_relationship_details user_relationships	user_videos user_website user_work_bistory	•
 education birthday 	Events, Groups & Pages			'user_birt
C enail	 ads_management ads_read manage_pages pages_manage_cta read_page_mailboxes 	pages_messaging pages_messaging_phone_number pages_show_list publish_pages	rsvp_event user_events user_managed_groups pages_manage_instant_articles	nail' perm
	Open Graph Actions	user_actions.music user_actions.news	user_actions.video	
	Other	read_custom_friendlists	read insights	

And this time check the 3 fields that you requested for, email, user education history and user birthday and click get access token.

(Refer Slide Time: 05:14)

0.0	Graph API Explorer - Faceb X +							80
🗧 🛈 🔒 Intipa	://developers.facebook.com/tools/exp	lorer/145634995501895/?method=GET	C A Search	4	* 1 1 0	@ - d @- ·	• 0 # -	=
	Graph API Explorer				Applications: 271	raph API Explorer *		
	Access Token: EAACEdEose	C-BARETI MAHRINI 78+VTUsvinGinutiv Log in wi	th Facebook - (Private Browsino)	873ee 2770001/148/aa/7ee	10 VBor+PZCr6mpsF	⇔ Get Token +		
	Graph APt FGL Guery	🛈 🔒 https://www.facebook.com/v2	1.6/dislog/cauth?response_type=toke	nådisplay-rj 🗢	- 101-	+ Submit		
		Log in with Facebook			🛐 🔹 an non 20	out the Graph API syntax		
	Node: me				as the			
	C name				the user	hithday'		
	🖸 birthday		f		e 'email' i			
	4 Search for a field							
		(Continue as Iom					
		Graph API Explorer will rec	ceive the following info: your email and education history.	l address, birthda	у			
		1	Edit the info you provide					
				•				
		🖨 This do	es not let the app post to Facebook.					
		App Terms - Privacy Policy		Not Now	Okay			
				-				

Now, you see this dialogue box asking if you want this app to have access to all these fields that you just checked. If you have ever used any app on Facebook before **FarmVille** or candy crush or any other app, you would remember seeing this exact dialogue box appear with probably a different set of permissions. This is the standard way all Facebook apps request permissions from a user. So, click OK.

(Refer Slide Time: 05:42)

🗲) 🛈 🔒 https	//developers.facebook.com/tools/explorer	145634995501896/method=GET C 🔉 Q. Search 🕴 🛊 🏠 🖸 😇 🌀 - 🐗 🚭 🔶 #	- =
	Graph API Explorer	Application: 171 Graph API Explorer +	
	Access Tokan: 0 EAACEdEose0cB	AP11YtzNByQS9WPyu/ymCT1NmbWvXUKADSmTKWwzol5Ph12WYgZA6zCDxbUdzzsZAFKWTeHzHaFoldEHreaflsZZ 😂 Get Tokan 🖛	
	Graph API FOL Guery		
	GET = →/ <u>v2.6</u> +/me?fields	-id,rame,education,bithday,email 🖈 Submit	
		Laam more about the Graph API syntax	
	Node: me ki name solucation	"se", "See035535544", "saet", Tim Jerry", "startsey", "HS35349", "email": "proteesatc1230ps11.com"	
	🔁 bithday 💟 email 4 Search fur a field		

Click submit again and you will see that those debug messages are gone and you have the information you asked for. There is no education here because this user does not have any education history available in the profile.

Node: me id name education birthday email	<pre>{ "id": "100001955345494", "name": "Tom Jerry", "birthday": "08/15/1947", "email": "prateekabc1238gmail.com" }</pre>
about admin_notes age_range bio context cover	

(Refer Slide Time: 04:55)

So, let us look for some more details about this user say friends, photos and click submit.

(Refer Slide Time: 06:05)



Again, the same debug messages for the permissions.

(Refer Slide Time: 06:13)

User Data Permissions

 ✓ email × publish_actions user_about_me ✓ user_birthday × ✓ user_education_history × ✓ user_friends user_games_activity 	 user_hometown user_likes user_location user_photos user_posts user_relationship_details user_relationships 	 user_religi user_statu: user_tagge user_video user_webs user_work
ads_management ads_read manage_pages pages_manage_cta read_page_mailboxes	 pages_messaging pages_messaging_phone_number pages_show_list publish_pages 	 rsvp_event user_event user_mana pages_mar
Open Graph Actions	user_actions.music	user_action

Go back to the get access token button select user photos and user friends, get access token, ok.

(Refer Slide Time: 06:24)



Submit.

(Refer Slide Time: 06:32)

```
-{
 "id": "100001955345494",
 "name": "Tom Jerry",
 "birthday": "08/15/1947",
 "email": "prateekabc123@gmail.com",
  "friends": {
    "data": [
      {
        "name": "Prateek Dewan",
        "id": "517783245"
     1
    1,
    "paging": {
      "cursors": {
        "before": "QVFIUjNRV3FpRWx0N1pRNFdnc3pJU0k2Skk1c3ZA5X25yQXNydTVh
        "after": "QVFIUjNRV3FpRWx0N1pRNFdnc3pJU0k2Skk1c3ZA5X25yQXNydTVhb:
     }
   },
    "summary": {
     "total_count": 6
   }
 1
```

And there you go only one friend comes up, but notice that the total count says 6.

(Refer Slide Time: 06:39)



This debug message here gives the explanation for this difference. So, it says that only those friends are returned by the API who have installed or used this graph API explorer app. So, which means that this one friend that showed up in the result has used a graph API explorer, but the other 5 have not. Facebook did return the details of all the friends up until last year, but due to multiple privacy issues raised by some users, they stopped doing it.

(Refer Slide Time: 07:11)



Anyway, so now, let us look at the posts that this user has done. Go to the query area remove the existing query and just type me slash posts and press enter. Again, the same rule.

(Refer Slide Time: 07:17)



(Refer Slide Time: 07:21)



So, let us get the user underscore post permissions and there you go.

(Refer Slide Time: 07:30)



So, we see that the user updated his profile picture on May 8, 2013.

(Refer Slide Time: 07:36)

$\blacksquare \underline{\operatorname{GET}} \bullet \to /$	v2.6-/me	e/feed	
Edge: me/leed	✓ v2.6 v2.5 v2.4 v2.3 v2.2 v2.1 v2.0		<pre>{ "data": [{ "data": [{ "story": "Tom Jerry updated his profil "created_time": "2013-05-08T09:17:20+("id": "100001955345494_469946576413854 }, { "story": "Tom Jerry added a new photo. "created_time": "2013-05-08T09:09:43+4 "id": "100001955345494_469945539747287 }, { "story": "Tom Jerry added a life event "created_time": "1947-08-15T08:00:00+4 "id": "100001955345494_762382407170264 "id": "100001955345494 "id": "100001955345494 "id": "100001955345494 "id": "1000001955345494 "id": "1000001955345494 "id": "1000001955345494 "id": "1000001955345494 "id": "1000001955345494 "id": "1000001955345494 "id": "1000001955345494</pre>

Now if you notice here this part says v 2.6. This is the latest version 2.6 of the API that we are currently using. So, Facebook regularly pushes out newer versions of the graph API every few months and gets rids of the old ones over time. For now, these are the versions available. Now let us check out what is the difference between this current version 2.6 and the oldest available version, which is 2.0, right.

(Refer Slide Time: 08:05)

	Learn more about the Graph API syntax
l.	
"data": [
1	
"id", "100001055345404 46004657641305	can
"from", [
Hossell, ITon Jacovil	
"id", "1000 Jerry ,	
10 . 100001333343434	
I) Heteruff: "Ten Terry undated his profi	Ta sistura "
"story : Tom Serry updated his profi	tte picture. ,
story_tags : t	
0:1	
1	
-10": "100001955345494",	
"name": "Tom Jerry",	N
"type": "user",	
"offset": 0,	
"length": 9	
1	
ł,	
"picture": "https://fbcdn-photos-b-a.	.akamaihd.net/hphotos-ak-xpf1/v/t1.0-0/s130x130/936168_46994656641
"link": "https://www.facebook.com/pho	sto.php?fbid=469946566413851&set=a.385390144869494.90256.100001955
"name": "Tom Jerry",	
"icon": "https://www.facebook.com/ima	uges/icons/photo.gif",
"actions": [
{	
"name": "Comment",	
"link": "https://www.facebook.com	n/100001955345494/posts/469946576413850"
},	
{	
"name": "Like",	

Now just select the 2.0 from the drop down and press submit. And you see that there is a whole lot of extra information that shows up. We are still looking at the posts, but now

there is much more information about the post available. Like the link of the pictures the tags, the privacy settings for the post, the type of the post which is photo here, and multiple other things. It is the same level of details for all the posts. Now if you go back to the latest version 2.6, you notice that all these fields are still available, but you need to explicitly request for these fields they are not returned by the default request.

(Refer Slide Time: 08:39)

developers facebook.com/tools/explorer/	145634995501896/Imethod-GET C 🗟 9, Search 🕴 🕯 🏠 🗖 🗑 🕤 - 🐗 🧔 - 🔶	○ # - =
Graph API Explorer	Acquisition 17 Graph API Explorer *	
Access Token: O EAACEdEose0cBA	VVPW/V4xbW/KGrOA/ssYRHFd2x8xgWpmupb6daMdDJs000Vsx81xAZAP9v1NgZApub0SHd8pnv13PNtyUus1X0 😂 Get Token +	
Drugh API FOL Query		
GET /v2.8 +/mafeed?	elds-likes + Submit	
	Laam more about the Graph API syntax	
Edge: me/leed	1	
C Ikes	"fata": [
A Search for a field	"story": "Tom Jerry updated his profile picture.", "created time": "2013-05-00700:17/20-0000".	
	1#: *100001955345404_469046576413858*	
init	{ "story": "Ton Jerry addet a new photo,",	
include hidden	"created_time": "2013-05-00709:09:43+0000", "14": "100001995345404 40945539747207"	
q		
show_expired	"story": "Tom Jerry added a Life event from August 15, 1947: Bern on August 15, 1947.", "created_time": "1947-48-15780:40:88-4000",	
since	"14": "100001055345494_742382407178264" }	
until	l, "paging": (
actions	"previous": "https://graph.facebook.com/v2.6/100001955345494/feed?formatejson&since+1360004486access_tok "reat": "https://graph.facebook.com/v2.6/100001955345494/feed?formatejsin6access_toker=EAACEEDssed:BAXVPk	
admin_creator)	
allowed_advertising_ob	ectives.	
	Interiors: Restored continuousperson Graph API Exponent Access Tales () BACEdecodd Control () AACEdecodd Control () AACEdecodd Contr	<pre>teneters.teneter</pre>

So, you select likes, let us say actions and click submit.

(Refer Slide Time: 08:45)



And you can get these fields. So, it looks like there are 0 likes on all the user's post. So, they are not showing up. You can also look at individual post using their id; this id is unique for every posts made by any user on Facebook.

Pretor Ne Edit Vew History Bootmarks Tools Window Hetp
 Pretor Ne Edit Vew History Bootmarks Tools Window Hetp
 Pretor Ne Edit Vew History Bootmarks Tools Window Hetp
 Pretor Ne Edit Vew History Bootmarks Tools Window Hetp
 Pretor Ne Edit Vew History Bootmarks Tools Window Hetp
 Pretor Ne Edit Vew History Bootmarks Tools Window Hetp
 Pretor Ne Edit Vew History Bootmarks Tools Window Hetp
 Pretor Ne Edit Vew History Bootmarks Tools Window Hetp
 Pretor Ne Edit Vew History Bootmarks Tools Window Hetp
 Pretor Ne Edit Vew History Bootmarks Tools Window Hetp
 Pretor Ne Edit Vew History Bootmarks Tools Window Hetp
 Pretor Ne Edit Vew History Bootmarks Tools Window Hetp
 Pretor Ne Edit Vew History Bootmarks Tools Window Hetp
 Pretor Ne Edit Vew History Bootmarks Tools Window Hetp
 Pretor Ne Edit Vew History Bootmarks Tools Window Hetp
 Pretor Ne Edit Vew History Bootmarks Tools Window Hetp
 Pretor Ne Edit Vew History Bootmarks Tools Window Hetp
 Pretor Ne Edit Vew History Bootmarks Tools Window Hetp
 Pretor Ne Edit Vew History Bootmarks Tools Window Hetp
 Pretor Ne Edit Vew History Bootmarks Tools Window Hetp
 Pretor Ne Edit Vew History Bootmarks Tools Window Hetp
 Pretor Ne Edit Vew History BootMan Hetperson
 Pretor Ne Edit Vew Hetperson Hetp

(Refer Slide Time: 09:03)

So, you click on id, and you get just this post. Again you can get more details if you use the version 2.0.

(Refer Slide Time: 09:14)



Now the graph API returns the data in a json format, which is javascript object notation format comprising of multiple curly brackets and square brackets. This json format can

be hard to read sometimes. So, to make it easier to read and understand, just copy this entire **response**, and make sure you do not miss the starting or the ending brackets that just destroys the entire format of data. So, you select this, copy it.

(Refer Slide Time: 09:49)



And we will now see this data in the more readable format using a tool called json viewer. There are many such tools available online for free. The one we will be using is at json viewer dot stack dot hu.

(Refer Slide Time: 09:51)

🖲 🔍 🛐 Graph API Explorer - Facetu H 🖉 Online JSON View	₩ x\+											90
• () () porviewer stack.hu	c	(h) Q. Search	+	÷ Ĥ	☆ €		6			0	e +	
Test												
Rata Copy Format Remove white space Clear Load 250N data												A
<pre>crassed time", '2013-05-0000;//10-0000", "etiam"; ('aras", 'Ible", 'lime', 'Thise',/vw,fseehook.com/permaliak.php%tory_j 'imle', 'Thise',/vw,fseehook.com/permaliak.php%tory_j 'imle', 'Thise',/vw,fseehook.com/permaliak.php%tory_j 'imle', 'Thise',/vw,fseehook.com/permaliak.php%tory_j 'imle', 'Thise',/vw,fseehook.com/permaliak.php%tory_j 'imle', 'Thise',/vw,fseehook.com/permaliak.php%tory_j 'imle', 'Thise',/vw,fseehook.com/permaliak.php%tory_j 'imle', 'Thise',/vw,fseehook.com/permaliak.php%tory_j 'imle', 'Thise',/vw,fseehook.com/permaliak.php%tory_j 'imle', 'Thise',/vw,fseehook.com/photo.php%thd=499445040 'imle', 'imle','','','','','','','','','','','','','</pre>	D14-409463741395614-3 D14-409463741395614-3 D14-409463741395614-3 D139514403 D139514403	0001193345494andassory 00011933345494andassory 494.90254.10001195334549 494.90254.1000119533454	index=0" index=0" 4441ype=3", 1001195027_	n. 3943	roh+ed₿	39e21c	the floor to 7	ed33fc04	að631	034ce	542C5	C59

So, just paste this data that you copied.

(Refer Slide Time: 09:57)

Graph API Explorer - Faceb X O Online JSON Wewer X	(+							
) () jsonviewer.stack.hu	C	2	Q, Search	4	ŀŵ	合自	🗢 🍳 - 🤞 🖕 -	\$ 0 # -
er Tot								
JSON							Name -	Value
created_time : "2013-05-08T09:17:20+0000"							actions	-
story : "Tom Jerry updated his profile picture."							created time	"2013-05-08T09:17:20+
actions							form	
U nom							inte	Total Jacob Scobook
kon ; naps name abrook conversigen conspires gr								1100001055345404 45
is extind take							e .	100001905345494_46
Ink : "https://www.facebook.com/photo.php?fbid=469946566413851&aet=a.3853901448694	94 90256 10000195534	1549482	vpe=3"				8_expred	false
a name : "Tom Jerry"							is_hidden	false
object. id : "469946566413851"							link	"https://www.facebook.c
# picture : "https://bodn-photos-b-a.akamaihd.net/hphotos-ak-xpf1/v/t1.0-0/s130x130/936168,	469946566413851_18	8119502	27_n.jpg?oh=cd839e21cbl	9co4c7ed53fc06a	a8631058	loe=582C5C	rame	"Tom Jerry"
() privacy							object_id	"469946566413851"
status_type : "added_photos"							picture	"https://bodn-photos-b-
() story_tags							privacy	
subscribed : true							status_type	"added photos"
type : "photo"							story	"Tom Jerry updated his
updated_time : "2013-05-08T09:17:20+0000"							story tans	
Id: "100001955345494_469946576413850"							adaption	in a
 a. econect, June 1201-056-04709-120-0000. a. econect, June 1201-056-04709-12000. 			have	labored.				
							Obe	proto
							updated_time	"2013-05-08T09:17:20-

Go to the viewer tab and you can see the same data

(Refer Slide Time: 10:02)

 Graph API Explorer - Faceb X O Online JSON Viewer 	× +							
() [jsonviewer.stack.hu	C	2	Q, Search	+	* 1	0 0 - 4	O- + (0 # -
lewer Tot								
() JSON						Name +	Value	
created_time : "2013-05-08T09:17:20+0000"						actions		
story : "Tom Jerry updated his profile picture."						created time	2013/0	5.08T09-17-20
3 actions						too .		
∃{} from						NOR .	-	
name : "Tom Jerry"						icon	TOPS	www.tacebook.
a id : "100001955345494"						id .	*100001	955345494_46
 Kon : https://www.tacebook.com/images/consigneds.gr 						is_expired	false	
 B_NODE1 : Table B_NODE1 : Table 						is_hidden	false	
 B_bt/- "bite: Base facebook combines als: "bite#20040502413851Easters 18530" 	144860404 00256 10000105534	-				link	"https://v	www.facebook.
are: "for Jery"			ppe-s			rame	"Tom Je	uny"
object id : "469946566413851"						object_id	*469946	3566413851*
picture : "https://fbcdn-photos-b-a.akamaihd.ret/hphotos-ak-xpf1/vf1.0-0is130x130	936168_469946566413851_18	8119500	27_n.jpg?oh=cd839e21cb89co4c7	ed534c06a86	3105&ce=582C	5C! picture	71005.0	bodh-photos-b
						privacy	-	
status_type : "added_photos"						status tune	"added	obotos*
G () story_tags						alter	Ton is	env undated his
B[]0						sury	1011.24	ny upoated ne
□ () ○						story_tags	-	
id: "100001955345494"						subscribed	1716	
aname : "Tom Jerry"						type	"photo"	
a the : men. Par						updated_time	"2013-0	6-08T09:17:20
· onset o								
tenger:								
Bung - "shate"								
updated time: "2013-05-08T09-17-20+0000"								
kd : "100001955345494, 469946576413850"								

But it is much more easy to understand and easy to read. You can easily open and close brackets to view the data inside them. It just makes life a lot easier.

(Refer Slide Time: 10:20)



Now you can also perform search operations using the graph API to search for users, pages, groups, events etcetera on Facebook, but note that the search only returns results whose privacy settings are set to public.

(Refer Slide Time: 10:35)

			a su supor
 atten anne	page	iery /2.6 - / search?q=npte	ph API FQL Quer GET $\rightarrow / v2$.
			in and Activity age

So, the search query has a minimum of two parameters a query parameter q lets search for nptel and a type parameter which tells the API what type of results to look for. So, let us say page. So, we are essentially searching for Facebook pages named nptel. (Refer Slide Time: 10:53)

	Learn more about the Graph Arts
t.	
NdataW. I	
uata : [
Hosmells "NIDTEL"	
nane : NPIEL ;	
10.: 133094133/39143.	
7,	
1	
"name": "NPIEL",	
.10.: .1413/32646421241.	
7, ,	
"name": "NPTEL HRD Computer Science videos",	
"10": "10355/33264/4138"	
5	
(
"name": "NPTEL",	
"id": "1607438936163909"	
},	
£	
"name": "NPTEL - A Joint Initiative of IITs and IISc",	
"id": "534937499965999"	
},	
{	
"name": "NPTEL Mechanical",	
"id": "435380716603755"	
},	
"name": "NPTEL Local Chapter - 88IT",	
"id": "1717301228550608"	
},	
1	
"name": "NPTEL Condenser",	
"id": "103393996711333"	
},	
{	
"name": "NPTEL IISc".	

So, see we got a whole list of pages with nptel in their name.

(Refer Slide Time: 11:03)



Now, let us look for groups named nptel. So, you change the type to be group press enter and there is a bunch of groups with nptel in their name. You can see that some of these groups are closed and some of them are open.

(Refer Slide Time: 11:17)

ph API FQL Query $\underline{GET} \star \rightarrow / \underline{v2.6} \star / \underline{seat}$?q=nptel&type=event	
ode: search	{ "data": [] }	

Let us look for events now. So, type is equal to event. So, there are no Facebook events in the name of nptel right now.

(Refer Slide Time: 11:30)

Caller			
10 🔒 https://developers.facebook.com/docs/		× R Q, Search	◆ ☆ ☆ 白 ♡ ◎ - 4 ◎ - ゆ ○ #
facebook for developers	Products Docs Tools	& Support News Videos	Q Samb Baghter
	I		
Dardent Dara	50%-		Nadara
Product Docs	3063		Piedorns
Account Kit	Androi	SDK	IOS Developers
Analytics for Apps	105 50	K	Add racebook to your rus app.
App Ads	React N	lative SDK	Android Developers
App Development	JavaSc	ipt SOK	Add Facebook to your Android app.
App Events	PHP SC	ĸ	Web Developers
App Invites	tyOS S	ж	Add Facebook to your she or web app.
App Links	Unity S	DK	
Attas API	Other 3	DK3	
Facebook Audience Network			Massanaar
Facebook Logn	APIs		Build your bot to reach 900 million people.
Facebook Pixel	Atlan A		0
Facebook at Work	Granh	PI	Instagram
Free Basics	Graphin		P. day by service service has been been
	Aturiat	ng API	Surface the amazing content from instagram.

So, Facebook provides this whole set of documentation that you can refer to, to learn what all you can do with the graph API.

(Refer Slide Time: 11:37)



Just go to docs and click on graph API.

(Refer Slide Time: 11:50)

Graph APt Reference × +			
() 🔒 https://developers.facebook.com/docs/	graph-api/teference C 🕅 9	Search	••• • • • =
facebook for developers	Products Docs Tools & Support News V	ideos 🔍 junt I 📷	gister
	boos / Graph AP1 / Herenance / On Th	singe +	
Graph API	Graph API Version	v2	
Overview			
Using the Graph API	Graph API Pafaranca		× .
Reference	Graph APT helefence		
Achievement	This is a full list of the Graph API root no	es. The main difference between a root node and a non-root node	
Achievement Type	is that root nodes can be queried directly	while non-root nodes can be queried via root nodes or edges. If	
Album	you want to learn how to use the Graph	VPI, read our Using Graph API guide, and if you want to know whic	zh
App Link Host	APIs can solve some frequent issues, try	our Common Scenarios guide.	
App Request			
Application	Graph API Root Nodes		
Comment			
Conversation	Node	Description	
Gredit Card			
Debug Tokan	Achievement	Represents a person gaining a game achievement	
	Achievement Type	A games achievement type	
Doc			
Doc Domain			
Doe Domain Education Experience	Albun	A photo album	
Dor Domain Education Experience Event Friend Lat	Albun	A photo album An individual son link host object created by an	
Dos Domain Education Esperience Event Priend Liat Group	Album App Link Host	A photo album An individual app link host object created by an app	
Doe Domain Education Experience Event Prierd Lat Desig Group Doc	Album App Link Host	A photo album An individual app link host object created by an app	

You can also search the documentation for what you need.

(Refer Slide Time: 11:56)



For example, let us look for help on the search query that we just used to search for nptel pages.

(Refer Slide Time: 12:01)

It https://environem.thosebook.com/ Common Senarias Common Senarias	If the intervaluent interlook construction of a structure by tables a comment by itsuing the following request: For a formation of the structure by tables a comment by itsuing the following request: For a formation of the structure by tables a comment by itsuing the following request: For a formation of the structure by tables a comment by itsuing the following request: For a formation of the structure by tables a comment by itsuing the following request: For a formation of the structure by tables a comment by itsuing the following request: For a formation of the structure by tables a comment by itsuing the following request: For a formation of the structure by tables a comment by itsuing the following request: For a formation of the structure by tables a comment by itsuing the following request: For a formation of the structure by tables a comment by itsuing the following request: For a formation of the structure by tables a comment by itsuing the following request: For a formation of the structure by tables a comment by itsuing the following request: For a formation of the structure by tables a comment by itsuing the following request: For a formation of the structure by tables a comment by itsuing the following request: For a formation of the structure by tables a comment by itsuing the following request: For a formation of the structure by tables a comment by itsuing the following request: For a formation of the structure by tables a comment by itsuing		Using the Graph API X +																	Ľ
Facebook for developers Products Docs Tools & Support News Videos Register All Docs 0 Docs Camph API Using the Camph API Docs Camph API Common Somethies Products Products </th <th>focebook for developers Produces Does Tools & Support News Videos Tools of Support News Videos Tools of Support All Does 0 Does 0 Does 0 Oracle APRI Does 0 Tools & Support News Videos Tools & Support News Videos Tools & Support News Videos Tools & Support News News</th> <th>0 10 🔒 https:</th> <th>//developers.facebook.com//docs/gr</th> <th>raph-ap(/usin)</th> <th>g-graph-ac</th> <th>N</th> <th>0</th> <th>с <i>у</i></th> <th>Q, Search</th> <th></th> <th>4</th> <th>l ŵ</th> <th>☆ (</th> <th></th> <th>6+</th> <th>4 0-</th> <th></th> <th>0</th> <th>+1 +</th> <th></th>	focebook for developers Produces Does Tools & Support News Videos Tools of Support News Videos Tools of Support All Does 0 Does 0 Does 0 Oracle APRI Does 0 Tools & Support News Videos Tools & Support News Videos Tools & Support News Videos Tools & Support News	0 10 🔒 https:	//developers.facebook.com//docs/gr	raph-ap(/usin)	g-graph-ac	N	0	с <i>у</i>	Q, Search		4	l ŵ	☆ (6+	4 0-		0	+1 +	
Al Boos 6 Doos / Oraph API / Using the Graph API / Detring ~ Can delete a comment by Issuing the following request: Graph API Ounries //Common Sources //Com	Al Doos 6 Doos 0 apphAPI / Using the Graph API / Defining ~ Craph API Overview Common Scientarios Other APIs Advanced Drangelog Description D		facebook for developers	Products	Docs	Tools 8	k Support	News	Videos				q s	dra.		Regist	r			
Can delete a comment by issuing the following request: Graph API Overview Overview Vicesenet-sol3? Using the Graph API Reference Common Scienceise Overview Overview Common Scienceise Common Sc	Can delete a comment by issuing the following request: Crash API Overview Overview Common Scenarios Other APis Advanced Changelog Viou can search over many public objects in the social graph with the /search endpoint. The syntax for asaerch its:		All Doos		Doos /	Graph AP	T / Using	the Grapi	API Dele	ting *										
Others Africa	Other After Advanced Changelog You can search over many public objects in the social graph with the /search endpoint. The syntax for search its:		Graph API Overview Using the Graph API Reference Common Scenarios		POST	graph.1 comment- nethod=	ment by is facebook -id}7 delete	iouing the	a following re	quest										
6ET graph.facebook.com /search? qw(your-query)& type={dbject-type}											ed in the m									

So, this section shows you how to use graph API search.

(Refer Slide Time: 12:11)

Searching	^
You can search over many public objects in the social graph with the /search endpoint. The syntax for search is:	
GET graph.facebook.com /search? q={your-query}& type={object-type}	
All Graph API search queries require an access token included in the request. You can either use a user, ap or page access token to execute a search.	p,
Available Search Types	
We support search for the following types:	

This is exactly how we did it. Search question mark q is equal to query and Type is equal to object type.

(Refer Slide Time: 12:17)

user	Search for a person (if they allow their name to be searched for).	Name
page	Search for a Page.	Name
event	Search for an event.	Name
group	Search for a Group.	Name
place	Search for a place. You can narrow your search to a specific location and distance by adding the center parameter (with latitude and longitude) and an optional distance parameter (in meters):	Name

If you scroll down a bit, you can see the various type of objects you can search for. Users, pages, events, groups, places etcetera. (Refer Slide Time: 12:28)

https://developers.facebook.com/tools/explorer/1456	4995501895/Threfhod=GET C 🕅 Q. Search 🕴 🕯 🗘 🗊 🌀 - 🤞	• •	0 #	•
facebook for developers	ds Docs Tools & Support News Videos	egister		
Graph API Explorer	Augustation 171 Graph API Explo	er *		
Access Token: G EAACEdEose0cBAPFC	ckicd22ZAmRzOYJU8VsLU6vNvAyZ84TDI3wMGK3ZAs8trFx5XOIYUdKyscvg3hbOSzsANEJZAFHzAGgkJlyR 🗧 Get Tok	* 16		
Grach API FOL Query				
GET = → / <u>v2.6</u> ×/search?q=npte	itype-pagel 👘 🔹	simil		
	Laam more about the Graph Al	t syntax		
No feds expansion available,	<pre>"Bit" I "mar": "JIMEL", "ser": "JIMEL", "ser": "JIMEL", "ser": "SINGETING "mar": "WTEL", "ser": "SINGETING "mar": "WTEL", "ser": "SINGETING "mar": "WTEL", "ser": "SINGETING "mar": "WTEL", "ser": "SINGETING "mar": "WTEL", "ser": "SINGETING "mar": "WTEL", "ser": "SINGETING "mar": "WTEL", RecharGal", "ser": "SINGETING "mar": "WTEL RecharGal",</pre>			

So, now let us get back to the graph API. Now when we search for pages with the name nptel, it is impossible to tell anything about the pages which show up by just looking at the search results. So, let us look at these pages manually one by one.

(Refer Slide Time: 12:45)

Firefox Fil	e Edit View History Bookman	ks Tools Window Help	∎ ♥ N4 ♥ ① 🔒	왕 🛋 100% (8년) 🔠	Tue 12 Jul 16:07	Prateek Q II	= •
() () 🔒 https://	levelopers. facebook.com/tools/lexplorer/14	5634995501895/7method=GET C	A Q. Search	***	0 - 4 0 - 1	• 0 # =	≡
	facebook for developers	oducts Docs Tools & Support New	rs Videos	C. Search	Register	l i	
	Graph API Explorer			Applications (7) Gen	iph API Explorer *		
	Access Tokes EAACEdEoseOcBAP CrossAP FOL Query	FQIeblicd22ZAmRzOYJUBVsLU8vNvAyZB4TDI3	wMGkGZAs8thFx5XOIYUdKysovg3h	bOSzbANIEJZAFHZAGgkJyłk	# Get Token *		
		ន្ថារន			+ Submit		
				Laam more abo	d the Graph API syntax		
	Noot: 1969-19795-43	("*****", "##10." " 1.044039398144" } 1.044039398144"					
# Q, search	A V Highlight At Mat	th Case 1 of 18 metatres					

Click on the id field of the first search result. Copy this id and open Facebook dot com slash this id in a new tab this will open up the actual Facebook page corresponding to this id.

(Refer Slide Time: 12:56)



Now if you notice this is an empty page with no posts, no real information no likes. So, this is definitely not the real nptel page.

(Refer Slide Time: 13:07)

Graph API Explorer - Faceb II +			
A https://developers.facebook.com/tools/explore	rer(165634995501895;//method=GET C 🕅 Q. Search 🕴 🛊 🏠 🖻 🛡 🌀 -	4 💁 🔶 0 1	e + #
facebook for developers	Products Docs Tools & Support News Videos	Register	
Graph API Explorer	Application: 171 Graph API	Explorer *	
Access Totest	cBAPFQwbbxcszzZAmPzOYJUBVILUBHNAyZB4TDDHAMGKsZAuBmPxSXDIYU0Kywcxg3tbDGsuANELZAPHzAGgxUyg; 🛛 🕸 Ge	et Token *	
GET + →/v2.6 +/search?	/q=nptel&type=page	+ Submit	
	Laam more about the Gro	sph APt syntax	
	<pre>"eter": 1 """""""""""""""""""""""""""""""""""</pre>		

So, now, let us look at the next result; same process.

(Refer Slide Time: 13:18)

() 0 🔒 🖿	ps://developers.facebook.com/tools/explorer/	r/145634995501896/method=GET C 🔉 9, Search 🖡 🕯 û 🛛 🎯 - 4 🤤	
	facebook for developers	Products Docs Tools & Support News Videos	
	Graph API Explorer	Australian (M) Graph API Explorer *	
	Access Token	APFOrethco22ZAmRzOYJUBVIsUUbNNyZB4TDDHMGK3ZA8BnFkSXDYYUKyscig3hb0SzaANEJZAFHzA0gUJyky 📔 🕸 Get Token *	
	Gruph AP, FGL Guery GET + → / <u>v2.6</u> + / 141373501	086927291 🖈 Suberni	1
		Lasm more about the Graph API synt	
	Node: M12/200887291	***** ********************************	

Click on the id of the next result copy this id and open Facebook dot com slash id in a new tab.

(Refer Slide Time: 13:25)



So, this looks much more like a genuine nptel page. It is rated 4.9 on 5, close to 10000 likes; the descriptions says it is very responsive to messages. So, now let us try to extract data from this page using the API.

(Refer Slide Time: 13:53)



Let us try to get the about field and say category of the page, then current location, description, username and verification status.

(Refer Slide Time: 14:12)

https://developers.facebook.com/tools/explorer/	7155634995501895,0185,01855,0000,0000
facebook for developers	Products Docs Tools & Support News Videos C. Seath Register
Graph API Explorer	Applications (P) Graph API Explorer *
Access Token	APFQebhod22ZArRzOYJUBVILU8/NvAyZ8HTDRiwMXA32488rFxSX011U8/yaorg8h0SzsAN6EJZAFHzA0gUIyR 年 Get Token *
Grant AP FGL Guery Image: Control of the second sec	2089272911fields=about,category.cument_location_description_usemame_verification_status + Status
	Laem more about the Graph API syntax
Node: 1413735008927291	("name": "NFTEL",
Category	"L4": "L4137354948077391" }
Current_location	
description	
verification_status	
Search for a field	

(Refer Slide Time: 14:15)



And there you see the page is not verified and all the other bunch of information we requested for. Now, let us switch to version 2.0 of the API, like we did a few minutes ago and see what all information is available for the page.

(Refer Slide Time: 14:28)



Now select 2.0 from the drop down remove these fields and click submit.

(Refer Slide Time: 14:36)

7291	★ Submit
	Learn more about the Graph API synta:
1	
"id": "1413735898927291"	
"about": "NDTEL an e-learning initiative by the 7 Indian Institutes of Te	chooloov and the Indian Institu
"can poet", falce	contrology and the invitan institut
"category": "Education"	
"category list": [
1	
"(d", "151676040220205"	
"name": "Education"	
1	
1	
"checking": 37	
"cover": {	
"cover id", "1414104022214722"	
"offect v". A	
"offset v". 75	
"reaurce": "https://fbcdo.cobatoc.e.a abaraibd pet/hobatoc.ak_vaf1/u/t1 @	0/10261215 1414104022214722 582
"(d", "1414104022214722"	-3/ 10301313_1414134022214/32_302
10 . 1414154022214/52	
"description": "The National Programme on Technology Enhanced Learning (NP	TELL is a collaborated initiatio
"founded": "7 TITs and TISs supported by MHRD Gout of Todia from 2003"	icc/ is a contabolated initiation
"has added app": false	
"hours": {	
"mon 1 open": "89:88".	
"mon 1 close": "18:00".	
"tue 1 open": "99-92"	
"tue 1 close": "18:88"	
"wed 1 open": "80:88"	
"wed 1 close": "18:00".	

And look at this, you have category, check-ins, details about the cover picture of the page, opening and closing hours, location with latitude and longitude, phone number, number of people who liked this page and so on.

(Refer Slide Time: 15:01)

$\underline{\text{GET}} \star \rightarrow /\underline{\text{v2.0}} \star / 141373508$	98927291/
le: 1413735098927291	<pre>"hourded : / iiis and iisc, supported by Mnkb,Govt d "has_added_app": false, "hours": {</pre>
4 <u>Search for a field</u>	<pre>"mon_1_open": "09:00", "mon_1_close": "18:00", "tue_1_open": "09:00", "wed_1_open": "09:00", "wed_1_close": "18:00", "wed_1_close": "18:00", "thu_1_open": "09:00", "thu_1_close": "18:00", "fri_1_open": "09:00", "sat_1_open": "09:00", "sat_1_close": "18:00" "sat_1_close": "18:00" }, "is_community_page": false, "is_published": true,</pre>
	"link": "https://www.facebook.com/NPTELNoc/",

Now you can also get the page feed meaning all the posts that appear on the page when you open it. In the query bar, just add slash feed after the page id and press enter.

(Refer Slide Time: 15:06)



So, you see a list of all the posts that the page has done and all the posts that any other Facebook user or page has done on this nptel page here. This usually appears in reverse chronological order; meaning most recent posts come first. The first most recent post says something about android skills and certification programme launched by Google India.

(Refer Slide Time: 15:35)



You can verify it is the same content as on the page. Let us go back to the page. So, this first post is actually a pinned post. Page administrators can pin a particular post, which they want everyone to see whenever they visit the page at the top.

(Refer Slide Time: 15:48)

O Intrps://www.facebook.com/NPTELNoc/	C C A Search	↓ ★ ☆ 白 ♡	4 0 + + 0 + + =
f NPTEL	Q Tom Home Find Fri		
s and trainin le, starting fr a, starting fr additional starting fr additional starting starting starting fr additional starting fr addit	Karal Like Rep: Jam Bit of Store Martine Rep: Jam Bit of Store Martine Extended and the Store Martine Extended and the Store Martine Store Store Martine S	Created Page	1001
VIDEOS	Corporation of mala, the course will be available free of charge on NTP(L), on initiative of this and as part of its another "Mobile Computing" course, starting trem July 18.	150	
	str Like 🗟 Content 🖉 Share		
	OO 28 Top Comm	nenta *	
	12 shares		
A Proton I am	DOS What a convent		
- 23 •	Pene Ener scan. Yugnij Thikur Senna Kanval Get nejstenedil 😫 Like Reply 🖒 1: 17 m		
REVIEWS	+ 1 Reply		
	Managyee Mittal Naman Shanna		4 min 0

But if you scroll down a bit you will see the remaining posts in the most recent first order. So, here it is the same post that we saw in the API, the android skill and certification programme post.

(Refer Slide Time: 16:03)

i i	"link": "https://www.facebook.com/NPTELNoc/photos/a.1422957808005020.1073741828.1413735098927291/159075
	name : Timetine Photos, U
	"Icon': "https://www.facebook.com/images/icons/photo.gif",
	J
	Tasset, "Conset"
	High " https://www.facebook.com/1413735808007700/conte/1508737011277570"
	Link - Incosty mini incosoni con a statistico o seconda con a seconda con
	Paper II (kell
	"line" - Line - ""
	Link i https://www.indebookten//1413/330905/125//pot/3/130/3221222/70
	1
	norizaru", I
	"value": ""
	"decerition": ""
	"friends" "
	"allow": "".
	"denv": "
	h.
	"type": "photo".
	"status type": "added photos".
	"object id": "1590732211227578".
	"created time": "2016-07-11T16:23:37+0000".
	"updated time": "2016-07-12T07:23:58+0000".
	"shares": {
	"count": 12
).
	"is_hidden": false,
	"is_expired": false,
	"likes": {
	"data": [
	(
	"id": "625390770901798",
	"name": "Manasvee Mittal"
	},

So, from the API itself, you can see that it has been shared 12 times. There is this entire list of people who have liked this post, and also the entire list of people who have commented on this post along with the common text and tags and likes on the comments etcetera.

(Refer Slide Time: 16:24)

4
"data": [
ł
"id": "1413735098927291_1590732211227578",
"from": {
"name": "NPTEL",
"category": "Education",
"category_list": [
10 : 1316/6848/20/3
have : Education
1
*/#** **1413735809077201*
"message": "Android Skilling and Certification Programme Launched by #GoogleIndia and available for fre
"nicture": "https://fbrds.onbstoches.akazaihd.ont/hobstocake.vfo1/u/t1.8_0/c138v138/13672126.1508722211
"link": "https://www.farehouk.com/NPTFINg/chotos/a.12/2957888886502.037341828.141375808927201/56972
"name": "Timeline Photos".
"icon": "https://www.facebook.com/images/icons/photo.gif".
"actions": [
"name": "Comment",
"link": "https://www.facebook.com/1413735098927291/posts/1590732211227578"
3,
ł
"name": "Like",
"link": "https://www.facebook.com/1413735098927291/posts/1590732211227578"
3
1
privacy": {
Value: , HT
Weinoder "
"allow" =

So, just like we saw that we can view individual search results by clicking on the id, we can also view individual posts by clicking on the id of the post.

(Refer Slide Time: 16:35)



Now while pages and groups etcetera have a numeric id, posts follow a slightly different format when it comes to ids. The id of each post on Facebook is of the format user id underscore post id, where user id is the id of the user who created this post. So, here the number before the underscore is the page id of the NPTEL and the number after the underscore corresponds to the post you can combine these two and you get the complete post id.

(Refer Slide Time: 17:02)



Now, Facebook recently launched reactions for post, which allows users to show reactions like happiness, anger, love, etcetera, in addition to liking a post. So, if you look again this post, there are 28 people in all who have reacted to this post, and one person has loved this post.

(Refer Slide Time: 17:21)

GET + → / <u>v2.0</u> +/141373509892	7291_1590732211227578 I					
	Learn					
Node: 1413735098927291_159073221 4 Search for a field	<pre>{ "created_time": "2016-07-11T15:23:37+0000", "message": "Android Skilling and Certification Programme launched by #GoogleIndia i "actions": [{ "name": "Like", "link": "https://www.facebook.com/NPTELNoc/posts/1590732211227578:0" }, "link": "https://www.facebook.com/NPTELNoc/posts/1590732211227578:0" }, "comment", "link": "https://www.facebook.com/NPTELNoc/posts/1590732211227578:0" } /, "comment", "link": "https://www.facebook.com/NPTELNoc/posts/1590732211227578:0" } /, "comments": { "comments": { "comments": ["created_time": "2016-07-11T16:42:35+0000", "from": "6reated_time": "2016-07-11T16:42:35+0000", "from": ["created_time": "2016-07-11T16:42:35+0000", "from": ["mame": "Yugraj Thäkur", "iink": "Seema Katwal Get registered!!:)", "can_remove": false, "like_count": 1, "message": [{ "ike_count": 1, "message": ["like_count": 1, "message": ["ike_count": 1, "message": ["ike_count": 1, "message": ["like_count: 1, "message": ["ike_count: 1, "message": ["ike_count: 1, "message": ["ike_count: 1, "message": ["ike_count: 1, "ike_count: 1, "ike_count: 1, "ike_count: 1, "ike_count: 1, "ike_count: 1, "ike_count: 1, "ike_count: 1, "ike_count: 1, "ike_count: 1, "ike_count: 1, "ike_count: 1, "ike_count: 1, "ike_count: 1, "ik</pre>					

Now with the version 2.6 of the API, it is possible to get these reactions on the APIs as well. Select version 2.6.

(Refer Slide Time: 17:27)

Sraph API FQL Query	
$\underbrace{\operatorname{GET}}{} \star \to / \underbrace{v2.6}{} \star / 141373509892$	7291_1590732211227578/
	Learn
Node: 1413735089827291_159073221	<pre>{ "created_time": "2016-07-11T16:23:37+0000", "message": "Android Skilling and Certification Programme launched by #GoogleIndia . "id": "1413735090927291_1590732211227578" }</pre>

And type, slash reaction after the post id in the query bar.

(Refer Slide Time: 17:31)

9073221	{ data"+ [
	oata : t I
	* id*** **625308778081708*
	"name" "Manacume Mittal"
	"type": "IIKE"
	1
	"id": "813616272014521",
	"name": "Shoban Kalia".
	"type": "LIKE"
), ···
	(
	"id": "1203998686281894",
	"name": "Mahesh Salunke",
	"type": "LIKE"
	3,
	4
	"1d": "10204287718411675",
	"name": "Sanebagouda Jambaladinni",
	-type": -Like
	<i>I</i> ,
	1 (d** * 18288350015258726*
	"name": "Sri Balait"
	"tune" "ITKF"
	by the second se
	1
	"id": "10153348707363560".
	"name": "Rahul Aren".
	"type": "LIKE"
),
	(
	"id": "737406656331080",
	"name": "Basant Soni",
	"type": "LIKE"

So, this returns the list of all the people who reacted to this post along with the type of reaction. You can even filter these results based on a particular reaction. So, let us say we only want the **list of** people, who loved this post, you add question mark type is equal to love in the query and press enter.

(Refer Slide Time: 17:48)



So, this looks to be case sensitive.

(Refer Slide Time: 17:51)

01000000	2/291_1590/3221122/5/6/reactions rtype=LOVE	The Submit
	I	Learn more about the Graph API synta
9073221	<pre>{</pre>	Learn more about the Graph API synta

So, we type L O V E in caps and there you see; the API gives you the one person who loved this post, the name of this user is Dhamu Sniper.

(Refer Slide Time: 18:03)

🔍 🖣 🚺 Graph API Explorer - Facels II 🖉	A NAUE X +	
0 + https://www.facebook.com/NPTELNoc/	C 3 Q. Search	▲ ★ ☆ 白 ♥ ◎ - 4 ● + ● 0 # - 日
f NPTEL	Q Tom Home Find Friend	11.0FC #**
Petros s and trainin Je free of ch e, starting fr Second Second Second Second Second Second Second Second Second Second Second Second Second Second Second Second Second Second	Laud Lee Hegy-care Hit Hit Stom Martin Lee Regy-care Hit Hit Stom Martin Lee Regy-care Hit Hit Stom Martin Lee Regy-care Hit Hit Stom Marting Hit Regy-care Hit Hit Stom Marting Hit Regy-care Hit Hit Stom w 1 Nexy View 1 non contract Martin Hit Stom Marti Hit Stom Martin Hit Stom	Could Page d
VDEOB	var https://oninacourse.rptiti.ac.innoc16est3proview var tops://oninacourse.rptiti.ac.innoc16est3proview var tops://oninacourse.rptiti.ac.innoc16est3proview var tops://oninacourse.rptiti.ac.innoc16est3proview var tops://oninacourse.rptiti.ac.innoc16est3proview var tops://oninacourse.rptiti.ac.innoc16est3proview var	
	In Like Comment /P Share	e la
	12 shares	
	The first set of the s	
REVIEWS	> 1 Reply	
	Managore Mittal Naman Sharma	Q Seath 0

You can go back to the post on the Facebook page and verify. So, this shows the same name here too.

(Refer Slide Time: 18:19)

	raph API Explorer - Faceb II	SPIL X +		
€ . € https:	//developers.facebook.com/tools/explorer/1	45634995501896/7method=GET C 🕅 Q. Search	◆ ☆ ☆ 白 四 ◎ - ↓ ◎ - ◆ ○ # -	≣
	Access Token: 0 EAACEdEose0cBA	PFQleblecd22ZAmRzOYJUBVsLU8vNvAyZB4TDf3wMGk3ZAs8hFx5XOIYU	JdKyacvg3hbDSzsANEJZAFHzAGgkJly9;	
	Griph API FOL Overy			
	GET / VIA -/ 141373509	8927291.feed	🖈 🔹 Submit	
			Learn more about the Graph API syntax	
	Egge: 1413/3006807291/Med	<pre>{ faits*1 [faits*1 [faits*2 [</pre>	grame landtet by Monglelotia and analishe for to rtifizetan causes in Ioda re, ttps://buitter.com/Anglelodia/istos/7529653060205 tps://buitter.com/Anglelodia/istos/7529653080205 attenutical Ionilate) shares his keedinge on Algori usherer 🕘	

Now, there is a concept of paging in the graph API, which we have not looked at. So, whenever you make a query to the API, where the number of results is more than 25, the API returns the response in multiple pages.

(Refer Slide Time: 18:27)

numan Aujustment Frutesses	
International Economics	
Introduction to Propulsion	
Linear Regression Analysis	
Macro Economics	
Mechanics of solids	
Operations and Supply Chain Management	
Riemann Hypothesis and its Applications	
Solid State Devices	
Special Topics in Atomic Physics	
Special Topics in Classical Mechanics	
Special/Select Topics in the Theory of Atomic Collisions and Spect	roscopy
Strategic Marketing - Contemporary Issues	
An Invitation to Mathematics	
Elements of Visual Representation	
Film Appreciation	
Mechanics, Heat, Oscillations and Waves	
For checking the results:	
Click here: nptel.ac.in/noc O".	
"created time": "2015-08-18T13:23:12+0000".	
"id": "1413735898927291 1479954878972859"	
}	•
1	
"paging": {	
"previous": "https://oraph.facebook.com/v2.6/1413735098927291/	feed?format=ison&since=1468254217&access to
"next": "https://graph.facebook.com/v2.6/1413735098927291/feed	?format=ison&access token=EAACEdEose@cBAPF0
}	
}	
Bernance mechanics in 201 mp	
neaponae reverves al 701 ma	Cat Code Save Section

If you scroll down to the very bottom of the results, you can see this paging object in the response which contains URLs to the previous and next set of results.

(Refer Slide Time: 18:37)



And if you look at this URL carefully, you will find a limit parameter which is set to 25 by default. Now when you click on this URL you get the next 25 results, which is a next 25 posts on the NPTEL page in this case.

(Refer Slide Time: 18:55)

<pre>sging": { previous": "https://graph.facebook.com/v2.6/1413735098927291/feed?limit "next": "https://graph.facebook.com/v2.6/1413735098927291/feed?limit=255</pre>	=25&format=json&pa format=json&paging	aging_token=en 1oken=enc_Ad
more decisits (og in to inpeteration of the second of the		
ications are invited for 22 full semester courses and 5 short term cours	ies on NPTEL. Get cer	rtified from t
("message": "Dear Learners!		
"message": "List of 22 (full semester) and 5 (short term) ongoing onl "story": "NPTEL added 2 new photos.", "created_time": "2015-04-24T05:33:39+0000", "id": "1413735098927291_1439054723061995" }.	line courses on NPTE	L !",
"id": "1413735098927291_1440003666300434"		

Scroll down to the bottom again and there is this next again. This URL keeps getting updated at every page and keeps on showing up again and again until all the results have been obtained. If you want to get more number of results in a single query, you can change this limit parameter manually. So, let us change this parameter to 100 and click submit.

(Refer Slide Time: 19:10)



Now, if you scroll down you would notice that the number of results have increased a lot.

(Refer Slide Time: 19:22)

35098927291/feed	An assignment will be posted in March and April for the student to t "created_time": "2015-02-20710:55:34-0000", "id": "14173500002701 141534202009051"	test himself with complete solution. The f
100)	},	
for a Beld	Concerning and the second second second	
	"message": "More than 16648 Videos	
	More than 128 Million views!	
	NPTEL - Most viewed Educational Channel!	
	NPTEL videos are available in Youtube too! Please click on the link "created_time": "2015-02-20710:54:01+0000", "id": "1413735090927291_1415342292099065"	to access the videos:https://www.youtube.
),	
	(Teaching To White countings to all)	
	message : marm greetings to att:	
	Nptel has an official Facebook page now and welcomes all to explore Nptel, a digital initiative funded by Ministry of Human resources De	it.We will be available as Nptel India on evelopment and maintained by the 7 IITs an
	The digital initiative mainly aims at providing access to quality or	intent and has one of the largest video re
	Further details in this regard can be viewed at: www.nptel.iitm.ac.	in O and queries related to the site can
	Thank you all	
	Nptel India",	
	"created_time": "2015-02-20T10:51:18+0000",	
	"1d": "1413735098927291_1415341285433339"	
	"paging": {	
	<pre>"previous": "https://graph.facebook.com/v2.6/1413735098927291/fe "next": "https://graph.facebook.com/v2.6/1413735098927291/feed?"</pre>	ed?limit=1006format=json&since=1468254217 imit=1006format=json&access_token=EAACEdE
	Despenses enclued in 202 ms	

Let us scroll down to the bottom. So, there is a next again.

(Refer Slide Time: 19:26)



But when you click on it you see that there are no more results left the next page is blank. So, now, you know that the total number of posts in the NPTEL pages feed is 100 or less. If they were more they would have shown up in this next page.

(Refer Slide Time: 19:39)

https://developers.facebook.com/tools/explorer/14/	5634995501895//method=DET C 3 Q Search	+ + ☆ B ♥ 6 - 4 ♥- + O
GET = -+ /v2.8 +/14137350985	927291/feed?limit=100	+ Submit
		Learn more about the Graph API syntax
Egyr 14137200HB/2799/Ned g area (150) 4 Search far a finid	<pre>{ "star": 1 "restage": "Notical Stilling use Continuation Prop "restage": "Notical Stilling use Continuation Prop "restage": "Stole-1115(5):17-0000; "restage: "Stole-1115(5):17-0000; "restage: "Stole-1115(5):17-0000; "restage: "Stole-11115(5):17-0000; "restage: "Stole-1115(5):17-0000; "re</pre>	France Lancter by Kinglethila are available for fre trifortian courses in Solia r, tps://bodker.com/Kinglethila/statu/75204530492207 ps://bolter.com/Kinglethila/statu/75204530492207 htmatical Doctavite Shares his knowledge on Algori planer i

So, let us try to see exactly how many posts are there. The easiest way to do this is to copy this entire response and put it in the json viewer tool that we saw a few minutes ago.

(Refer Slide Time: 19:45)



So, you select this entire response.

(Refer Slide Time: 20:12)

C C Drawn All Familian - Earth - H C NPTH	N 0 Deles 190	N Viewer W 14										œ
(a) interviewe state by	e c	a Q Search			è n		a - 4	۵.		0	e -	-
View Test						-						
Barte Car Formet Barran able many Core Land 2000 data												
HPTEL is now offering certification for 15 courses, each compr The student who available for a source will have to a hole be	ising 40+ hours of lect	ures. Enrollment for th	ese is open i	fron Fe	b 10 20	15 at	https://	slinec	ourse	a.spte	1.ac.1	8
As assignment will be posted in north and April for the tubes to the second of the "created like", "2315-2-2075/0513-84-000", "created like", "2315-2-2075/0513-84-000", "created like", "2315-2075/0513-84-000", "created like", "created like", "crea	: to test himself with (complete solution. The xam fee vill be Rs 1000	forum may be per course o	used f	or disc ayone w	ussic ho re	ns/clari gisters	fying d and app	oubts ears	among for th	o exar	
<pre>77TE videos are evallable in Toutube tool Flease click on the</pre>	link to access the vid	eosihttps://www.youtube	.com/user/sp	telhrd"								
Bytel has an official Facebook page now and velocmes all to exp Bytel, a digital initiative funded by Ministry of Buman resource humanities streams.	plore it.We will be avances Development and main	ilable as Mytel India o ntaized by the 7 IITs a	n Facebook. nd lisc cove:	rs free	online	cour	ses in s	ience,	engi	neerin	g and	
The digital initiative mainly sims at providing access to qual- is always accessible free of cost.	ity content and has one	of the largest video r	epositories (of tech	nical 1	ectur	e-course	in th	e voz	14. Th	e cont	ent
Purther details in this regard can be viewed at: www.sptel.lits and gueries related to the site can be mailed at: nptelfiim	n.ac.in ac.in											
Thank you all												
<pre>Bpd1 Tudit,</pre>	291/feed?limit=100&form Ed/DwKklidas9ch7x5x0TV0 HB3BaH7bcyf&FraPad9eg Eed/limit=10&formt=1 Td/DwKklidas9ch7x5x0TV0	at =) sonssince=146825421 dtyacvg hb05ssAHEJTAF rec1180cksscbp52TAFv9Ev 604 dtyacvg hb05ssANE5TAF	76 zA5gkJly%gIB GkToLEJcw7JB zA5gkJly%gIB	rRp1ag0 c678030	OKE 3a EL RCb-pd-61 OKE 3a EL	w32Be Av2CL w32Be	eKTrDN9M d15j2HuN eKTrDN9M	RS6CjDe RS6CjDe	Fvddp 04P	RI9XCE reviou RI9XCE	gtofic s=1°, gtofic	Rei

Copy and paste it in this json viewer. Go to the viewer tab.

(Refer Slide Time: 20:15)

€ 50 € { } 51 ⊕ { } 52 € 53 € { } 54 € } 55 € 356 ⊕{] 57 ÷. 58 59 Ĥ ₹] ⊕{] 60 € } 61 € 62 € { } 63 ₿{}64 message : "Warm greetings to all! Nptel has an official Facebook page now and welcomesing to explore it. created_time : "2015-02-20T10:51:18+0000" id: "1413735098927291_1415341285433339" Next I Previous GO! Search:

Now expand this data object. So, it starts from 0 and goes until 64 meaning that there are total 65 public posts made by this page. Remember that the API only returns public data. So, if the page did a post where the privacy setting was not public, it will not show up in the results. So, if you expand the last post object, this was the first ever public post made by this page which was on February 28th 2015, saying warm greetings NPTEL has an official Facebook page etcetera.

(Refer Slide Time: 20:49)



But we saw earlier that this page is not a verified page. So, there is no way to really confirm that this is truly the genuine actual NPTEL page created and owned by NPTEL. So, until, now we have seen some basics of the graph API. We have explored some basic queries that you can make in the API; the format of the responses that the API returns etcetera.

In the next video, we will learn to do some more advanced operations with the API like creating an app, extending access tokens, collecting data programmatically using python etcetera.